



GATOR XTURF INFILL SAND GATOR BEIGE
TDS Revision Date (dd/mm/yyyy): 09/02/2026

Page 1 of 3



TECHNICAL DATA SHEET

Update:

February 9, 2026

Make sure you have an updated data sheet on hand.

Canada and U.S. dial **1-855-847-7767** or (450) 624-1611

Description:

GATOR XTURF INFILL SAND GATOR BEIGE is cost effective infill for **GATOR XTURF**. It is a natural sand optimized for perfect drainage of **GATOR XTURF** artificial turf. It is used as primarily infill to weight down artificial turf, providing stability, and cooling the turf. **GATOR XTURF INFILL SAND GATOR BEIGE** surrounds individual grass blades ensuring that each blade has support to stand upright and maintain appearance of the turf, while offering superior drainage capability. **GATOR XTURF INFILL SAND GATOR BEIGE** prevents unsightly wrinkles/ripples while extending the turf's life by protecting the backing of the artificial turf.

Helps keep turf blades upright. Provides a rich, thick and natural healthy appearance.

Features:

- Holds artificial turf in place (1.5-3.0 lb/ft²)
- Ideal gradation for drainage
- Keeps artificial turf cooler
- Engineered for all artificial turf
- Natural product
- Safe for pets
- Environmentally safe
- Mesh size 20-40

Maintenance

It is recommended to brush and add **GATOR XTURF INFILL SAND GATOR BEIGE** twice a year, as needed, to maintain the effect and appearance of your **GATOR XTURF**.

- 1 In the fall, remove any remaining leaves and other debris with the help of an artificial turf rake. Add a fresh coat of **GATOR XTURF INFILL SAND GATOR BEIGE** as needed.
- 2 In the spring, straighten the blades flattened by snow, remove any pet waste and water down the dirty grass blades. When dry, add in a layer of **GATOR XTURF INFILL SAND GATOR BEIGE**.
- 3 Add a fresh coat of **GATOR XTURF INFILL SAND GATOR ZEO-WHITE** as needed.
- 4 For your putting green: Vacuum your putting green and add a coat of **GATOR XTURF INFILL SAND GATOR BEIGE** as needed before your next hole in one.

Uses & Coverage

A Artificial turf for landscape

Ideal for residential landscape artificial turf systems with blade (pile) height from 1 to 2". Quantity suggested varying from 1.5 - 3 lb/ft² (7.3 - 14.6 kg/m²). A higher turf blade (pile height) will need more infill sand. For landscape artificial turf, each 50 lb (22.7 Kg) bag will cover from 33.3 to 16.7 ft² (3.1 to 1.6 m²).

B Golf putting green

Also recommended for golf putting green having pile height <1". Quantity suggested varies from 0.5-1.5 lb/ft² (2.36 - 7.3 Kg/m²).



1800 Berlier st., suite 200, Laval, Quebec, Canada H7L 4S4
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611
www.polybind.com - Email : info@polybind.com



GATOR XTURF INFILL SAND GATOR BEIGE

TDS Revision Date (dd/mm/yyyy): 09/02/2026

Page 2 of 3



Typical Properties

A Grade Profile

- Grain size: 20/40 mesh
- Grain Shape: Semi-angular
- Grain Color: Gator Beige (natural sand)

B Physical Properties

- Hardness (Mohs scale): 6.0-6.5
- Bulk Density (ASTM C29): 90-105 lb/ft³
- Specific gravity or relative density (ASTM C128-07a): 2.70
- Moisture content or Evaporable moisture (ASTM C566-97) : 0.5%
- Melting Point: 3 100°F

C Chemical analysis

- | | |
|--|--|
| • SiO ₂ (Silicon Dioxide): 60-100% | • CaO (Calcium Oxide): 1-5% |
| • Al ₂ O ₃ (Aluminium Oxide): 10-30% | • MgO (Magnesium Oxide): 0.5-1.5% |
| • Fe ₂ O ₃ (Iron Oxide): 1-5% | • Na ₂ O (Sodium Oxide): 1-5% |
| • TiO ₂ (Titanium Dioxide): 0.1-1% | • K ₂ O (Potassium Oxide): 0.1-1% |
| • Quartz: 35-40% | |

INSTALLATION INSTRUCTION

STEP 1: APPLY GATOR XTURF INFILL SAND

- A GATOR XTURF** surface. A drop spreader with an adjustable spread rate is the best tool for creating a consistent infill layer. However, be attentive to the rows with the spreader, as they will absorb into the **GATOR XTURF** when dropped.
- B GATOR XTURF INFILL SAND** requires a consistent speed and volume for optimal results. The more evenly you distribute it, the smoother the final surface will feel underfoot. Apply your infill material in a thin layer each time.
- C GATOR XTURF INFILL SAND GATOR BEIGE** serves as the primary infill ingredient for the first layer. Its beige color makes it a natural choice. For pet playgrounds, **GATOR XTURF INFILL SAND GATOR ZEO-WHITE** is widely regarded as the best topping infill to help eliminate and minimize odor. Additionally, **GATOR XTURF INFILL SAND GATOR ZEO-WHITE** is very porous, which helps keep your **GATOR XTURF** cooler in direct sunlight compared to rubber infill options.



N.B. Ensure the **GATOR XP** glue is set for 3 to 4 hours before brooming.



1800 Berlier st., suite 200, Laval, Quebec, Canada H7L 4S4
 Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611
www.polybind.com - Email : info@polybind.com



GATOR XTURF INFILL SAND GATOR BEIGE

TDS Revision Date (dd/mm/yyyy): 09/02/2026

Page 3 of 3



STEP 2 BROOM THE GATOR XTURF

A To maintain **GATOR XTURF**, use a stiff bristle broom, turf rake, or Power Broom to reset the blades. Avoid using a metal leaf rake, as it can damage the artificial turf blades. Apply firm pressure and walk backward slowly while working the infill deep into the **GATOR XTURF**. Work in rows and overlap your passes for even coverage. It is advisable to brush both north-south and east-west to ensure that no **GATOR XTURF INFILL SAND GATOR BEIGE** is visible and that all the blades stand vertically.



B Utilize a leaf blower to clear away any **GATOR XTURF INFILL SAND GATOR BEIGE** and/or cut blades remaining on the surface.

N.B. After brooming and blowing, lightly mist with water to eliminate static. This also helps the **GATOR XTURF INFILL SAND GATOR BEIGE** settle into place and keeps the blades upright.



Packaging:	Product	Size
	GATOR XTURF INFILL SAND GATOR BEIGE	22.7 Kg (50 lb) plastic bags



1800 Berlier st., suite 200, Laval, Quebec, Canada H7L 4S4
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611
www.polybind.com - Email : info@polybind.com